

advanced clearing energetics™

TRANSFORMING
PAIN INTO LEARNING



Richard Flook
Originator of
Advanced Clearing
Energetics™

The Biological Conflicts



Trish Lewis
Kinesiology

A Research Paper
Prepared by Trish Lewis

Based on the work of Christian Fleche
“The Biogenealogy Sourcebook”

CERTIFICATION COURSES

LEVEL 1
INTRODUCTION COURSE

PRACTITIONER

LEVEL 2
PART A PRACTITIONER
working with major diseases

LEVEL 3
PART B PRACTITIONER
working with psychological issues

MASTERS

LEVEL 4 & 5
MASTERS PROGRAM
Learn the whole process at
a deeper level

TRAINERS TRAINING

Courses are available for becoming
a Trainer of Advanced Clearing
Energetics.

ABOUT

The information contained in this reference paper is for educational purposes only. The references in this paper are based on the work of Christian Fleche, Author of the Biogenealogy Sourcebook (pg. 59).

The research provided to create this reference, is with many thanks to one of our Practitioners, Trish Lewis. You can find information about Trish on page 58 of this paper.

It is highly recommended that you purchase a copy of the Biogenealogy Sourcebook for full understanding of the notes referenced in this article.

You do not have permission to sell, share, transmit, copy, digitally upload to the internet, or to share this reference paper in printed format. It is provided only as an educational bonus reference for those who purchase a copy of the Biogenealogy Sourcebook through the ACE Network, with the permission of Trish Lewis, as educational reference material only.

You can purchase a copy of the Biogenealogy Sourcebook in the ACE Product Store if you do not own a copy.

Table of Contents

Cardiology	4
Dermatology	7
Digestive System	14
Endocrinology	21
Haematology	25
Neurology	27
Ophthalmology	32
Musculoskeletal System	35
Otolaryngology	46
Pulmonary	50
Reproductive System	52
Urology	56

Cardiology		Biological conflict
Heart Page 15	Myocardium	Fear about the <u>emotional</u> or <u>physical strength</u> of the heart, e.g. “my heart is <u>not strong enough</u> ,”
	Endocardium Right Auricle	“It’s <u>tearing my heart out</u> e.g. “When my mother was carrying me she took <u>poison</u> to abort me – <u>venom</u> – slow <u>circulation</u> to show poison doesn’t work”
	Pericardium (double layered protective sheath enclosing heart and roots of great blood vessels.) Three main conflicts: A perceived <u>direct attack</u> on the heart (e.g. heart operation)	Fear for own heart or another either emotionally or physically. E.g. concern that pains, palpitations, swollen legs etc are cardiac related, or when loved one has heart trouble can be perceived as <u>personal difficulty</u> affecting own heart Violation of integrity of one’s <u>territory</u> (find this when clearing childhood abuse)
Coronary arteries	Called upon in stress to increase output First phase thinning of arteries, provoking ulceration and during repair can become blocked. Can survive with as little as 60% of arteries working. See page 19 of management without and replacement by new growth. Will depend on whether territory involved. Note: in LH people conflict with sexual frustration almost always accompanied by depression. Conflict phase – mobilisation	Need to <u>mobilise strength</u> to win back territory. <u>Scour</u> coronary arteries thus expanding output. Connected to <u>territory, workplace, colleagues, spouse, family, home, car, hobby etc.</u> Can be a direct attack or being prevented from <u>directing one’s territory</u> Sexual nature: RH Male physical problem with coronary arteries. LH Male problems with coronary veins RH Female uterine cervix LH Female coronary arteries. Non sexual nature

	<p>Healing phase – healing the consequences.</p> <p>If not resolved may struggle and constantly <u>feel under attack</u> or adapts to <u>loss of territory</u>, vitality <u>diminished</u>.</p>	<p>Consequences</p> <p><u>RH Male</u> bronchial tubes <u>LH Male</u> larynx <u>RH Female</u> left breast <u>LH Female</u> right breast</p>
<i>Coronary veins</i>	<p>When <u>emotional impact</u> strikes deeply and involves also great <u>disappointment</u> and <u>strong frustration</u> and <u>abandonment</u> coronary veins are affected as well as uterine cervix.</p>	<p>A <u>lack</u> or <u>frustration</u> in regard to one's emotional responses, sexual relations or <u>sense of one's own importance</u>. Conflict of sexual frustration in broad sense, <u>heartsick</u>, <u>love sick</u>, <u>heartbroken</u>, may also involve <u>loss of sexual territory</u> In men particularly can also involve <u>dependence</u>. a <u>fear of not belonging to anyone</u>, or <u>being interesting to no one</u>. <u>Dependence</u>(particularly for males – partner overly considerate or overly indifferent) can be accompanied by a <u>failure to notice partner taking care of everything</u> (whereas he would have been the one to do so).</p>
<i>Arteries</i>	<p><i>Including the Carotids, Aortic Arch and Pulmonary Arteries</i></p>	<p><u>Carotids</u>: loss of <u>intellectual territory of needing to defend one's ideas</u> (e.g. patent stolen) <u>ideas abandoned – stuck</u> <u>Artery near Thyroid</u>: loss of <u>extended territory urgency, solving</u>. <u>Loss of extended, peripheral or terminal territory/scattered territory</u>.</p>
<i>Veins</i>	<p><i>(all veins except</i></p>	<p><u>Reduction of self worth,</u></p>

	<i>coronary)</i>	feels <u>inadequate, unable to keep one's self going, to do one's job. Having to go back and get rid of... Unable to go home / unable to return to centre of territory linked by blood.</u>
	Angioma This can cause a subsequent child to be born with the feared abnormality in the first pregnancy)	A mother's <u>anguish</u> for a part of a child's body
	Heavy Legs	<u>Carrying too heavy a load.</u>

Page 25	Raynaud's Disease (constriction of blood vessels affecting extremities making cold, icy, blue)	Feeling <u>ineffective or inefficient.</u> Reduction of <u>self worth, unable to reach, retain, take, capture or do something/unable to keep one's composure.</u> <u>Loss of territory due to separation or death</u> Wanting to <u>hold on to someone or something which is dead.</u> Often this disease is also related to the pericardium and a <u>fear for the heart</u>
---------	--	--

Dermatology		
Page 27	Epidermis Below this layer are the nerve endings of the skin	Conflicts related to <u>touch</u> , <u>absence of touch</u> , <u>separation conflict</u> Flaky skin on soles of feet can be <u>separation from place of birth</u> , <u>The past - which touches the present</u> , <u>Grieving / not accepted / frustration / losing touch</u>
	Hair and scalp	<u>Separation conflict / lack of understanding involved</u>
	Face	Related to <u>separation</u> (e.g. kiss at the station type)
	Mouth	Conflict of <u>kiss / separation from a loved one not coming back</u>
	Left breast	Separation of <u>mother and child</u>
	Knee	<u>Submission in a separation</u>
	Feet / Legs	Separation mixed with a wish <u>to go toward the person</u>
	Three major categories of conflict separation:-	<ol style="list-style-type: none"> 1. Real separation, <u>expressed with difficulty</u>, could include break in <u>physical contact</u>, <u>loss of contact with family or tribe</u>, (can be fatal). 2. Fear of <u>separation - of being left alone</u> 3. <u>Lack of communication</u>
	Dermis or Corium is where sweat glands, blood vessels for the skin, fatty tissue, hair shaft, muscle to raise the	Conflicts of <u>dirtying / defilement / attack to integrity / uprooting</u> . Often accompanied by a loss of <u>self worth</u> .

	<p>hair sit</p> <p>When aggression takes away a part of one's self the Malpighian cells intervene to provide a protective shell.</p> <p>An example of feet smelling, embarrassment or shock at removing socks results in plantar warts</p> <p>Sty on eyelid</p>	<p>A melanoma or beauty spot can arise.</p> <p>Conflicts of uprooting, loss of physical integrity (such as an amputation of a limb) Can also occur with a break in a strongly felt relationship interpreted as disintegration. Fear of being devoured or attacked, fear of losing a limb</p> <p>Errors in important document which was to be seen by others of importance</p>
--	---	---

	<p>Hypodermis (deepest layer) Or Superficial fascia</p>	<p>Loose fatty connective tissue which binds the skin to the parts beneath.</p> <p>Conflicts relate to low self-esteem in relation to a part of the body perceived as unattractive.</p>
	<p>Retention of water</p>	<p>Corresponds to conflicts of the kidneys</p>
	<p>Excess Weight</p> <p>Thighs</p> <p>Stomach</p> <p>Shoulders</p> <p>Lipoma</p>	<p>Conflicts of physical abandonment, needing love, mistrusting love and counting on only one's-self.</p> <p>A desire to protect femininity or issues with mother</p> <p>Wanting to protect one's child/inner child</p> <p>Feeling need to be strong to carry others may also relate to father</p>

		Low <u>self esteem</u> related to the specific area of the body and <u>over protection</u>
	Acne Face	Conflicts of <u>dirtying or defilement</u> , loss of <u>self esteem</u> An attack of <u>self image and identity</u> . Can also represent something that has to be <u>seen or noticed</u> . Acne's link to puberty and hormones also gives a sexual message showing individual has hormones and can have sexual relations.
	Alopecia	<u>Patches</u> conflicts of <u>uniting, separation, low self esteem, loss of protection, fear</u> Alopecia areata has same connections with added conflict of dirtying or defilement.
	Goose bumps	<u>Cold or fear</u>

	Carcinoma of the Lip	Panicked fear of being <u>found out</u> through looks of others, a deep need to allow yourself to make a mistake , a fear of something going wrong / being judged or misunderstood .
	Chapped or cracked Lips	Annoyance . People don't listen when I speak / don't act on what I say
	Eczema	Simple separation / fear of being left alone
	Of the Scalp	Conflicting needs to be both hidden and seen e.g. wanting your work to be seen but not being able to stand being noticed. Sometimes with children due to one extrovert and one introvert parent.
	Elbows & Knees	Feeling misunderstood, alone, loneliness, unsupported
	Lips	Shock related to for example performing artificial respiration
	Ears	Separation from vocal contact of e.g. mother
	Epidermal Warts	Repeated separation (can be from an item)
	Hair loss	Self image / being yourself Conflict of separation from clan , a sense of injustice, loss of self esteem experienced intellectually
	Herpes	Problem with the epidermis, mucous layer.
	Mouth	One's quota of kisses is deficient Lack of contact
	Generally	Mucous layer relates to intimacy . Nerves for conflict in a plan

	Hives	Central separation / attack on integrity a desire to be <u>separate</u> , feelings of disgust or rejection . The person may feel separated from his or her <u>expectations</u> or may feel disappointed or suspect .
	Impetigo	Attack on integrity with a notion of <u>separation, been wronged</u> .
	Leukoplakia Thickened white patches on gums or inside of cheek or tongue.	Anger, injustice, misunderstanding
	Lupus (systemic lupus erythematosus)	Low self esteem relating to body part or conflicts of dirtying
	Melanoma	Shield protecting against aggression
	Moles & Beauty Spots	Conflicts of dirtying or defilement .
	Perspiration	Conflict of fear of being trapped , being under someone else's control , not being able to <u>count on one's mother or similar relationship</u> .
	Damp hands / feet	Feeling a need to run or slip out of a situation.
	Pruritus (itching)	Separation from pleasure detachment from one's emotions or an epic crisis or conflict of separation . It can also be related to bilirubin in the blood which is linked to conflicts of separation accompanied by rancour or injustice .
	Psoriasis For this to arise there has to be at least two conflicts of separation – one active and one in the healing	One can be feeling separated from one's self or one's identity . Can also be a conflict of obligatory contact .

	phase.	
	Red Patches	Attack on <u>integrity or modesty.</u>
	Rosacea	Needing to <u>eliminate from one's image what is dangerous to self.</u>
	Scleroderma	<u>Dramatic separation which has no solution and loss of self worth.</u> Feeling <u>useless, powerless, blames self, separation</u>
	Sensitivity to Cold	<u>Pivotal separation/lack of human warmth.</u>
	Shingles	<u>Separation conflict</u> , can be accompanied by conflict of defilement or unwanted contact where pain is concerned.
	Tinea Versicolor	Hyperpigmentation phase of tinea <u>attack on integrity/conflict of separation</u> in healing phase.
	Ulcerated Varicose Vein	Feel <u>dirtied or defiled</u> usually in cases of conflict separation accompanied by reduction in self worth.

	Vitiligo	Conflict of <u>horrible separation/ugly or brutal separation</u> often accompanied by sense of having to wash what has been dirtied – opposite of melanoma (<u>shield protecting against aggression</u>) Can arise when liked to be loved and embraced but isn't. fear of being dirtied
	Warts	Conflict of <u>dirtying</u> accompanied by <u>regret</u> or conflict of low self esteem coupled with self criticism (e.g. feeling less successful than your peers) Caught in the

	<p>Feet = roots left = female, right = male Back – past Front = future Side – present Face – self image</p> <p>Hands</p> <p>Pubic area</p>	<p>act of a <u>dirty deed</u></p> <p>Can also relate to a shock</p> <p>Conflict with <u>writing</u> generally around age 6-7</p> <p><u>Shameful</u> feelings of sexual nature.</p>
--	---	--

Digestive System		
Page 43	Hollow Organs:- Mouth Oesophagus Stomach Duodenum Small intestine Appendix Caecum Colon Sigmoid colon Rectum Anus Solid organs:- Liver Pancreas Salivary glands Digestive ducts Peritoneum	
	Mouth Mucosal from mouth to sigmoid colon and submucosa:-	Not being able to <u>attain what is desired or needed</u> or being able to <u>express one's needs</u> . Not being able to <u>nourish one's self sufficiently</u> or <u>experiencing some vile deed and not being able to reply</u> or wanting to <u>get rid of a troublesome problem or small disagreement</u> , not wanting to <u>respond to minor nastiness</u> (something undigested) Words which are unspoken ulcerate the <u>mouth</u> or <u>unspoken desires</u> . Can result in tumours in submucosa.
	Salivary Glands including:	<u>Fear of not being able to feed self</u> or not being able to <u>capture/incorporate into self the needed nourishment – fear of starvation, fear of being unable</u>

	<p>Submandibular</p> <p>Parotid</p> <p>Sublingual salivary & Parotid gland</p>	<p><u>to find necessary food.</u></p> <p><u>Stockpile something and can't stop from doing so</u> (e.g. compensating for a predecessor's lack of something)</p> <p><u>Conflict not having right to eat or stock up.</u></p> <p>Can also be related to <u>not wanting</u> someone else to be in a rage against you or to <u>incorporate you in their plans.</u></p>
	Oesophagus – upper	<p>Not <u>wanting to swallow or incorporate.</u> Feeling of being <u>force fed</u> or <u>unwilling to move forward the morsel – something is stuck in the throat</u></p>
	Oesophagus – lower	<p>Conflict of <u>not being able to swallow what is in one's hand</u> (my eyes are bigger than my stomach). <u>Fear of being thwarted</u> (afraid of having the morsel pinched). Strong desire not to <u>waste or throw away.</u> This person needs to take or swallow everything. Conflict also relates to <u>feeling unworthy</u> or of <u>profiting from certain nourishment</u> (e.g inheritance)</p>
	Peritoneum (membrane lining wall of abdomen and pelvic cavity)	<p><u>Attack on abdomen</u> (e.g. diagnosis of cancer of liver) or situation perceived as <u>compromising integrity of abdomen.</u></p> <p><u>Fear and panic re belly, something bad that eats away...</u></p> <p><u>Fear for the kidneys</u></p>
	Greater Omentum (large peritoneal fold hanging down from stomach to posterior abdominal wall)	<p><u>Rotten, indigestible plus low self esteem.</u> Similar to those of the colon but more particularly to a <u>moral point of view.</u> Can give rise to a swollen abdomen.</p>
	Stomach – Greater Curvature (shock produces special cells – adenoma or	<p><u>Lack / undigested morsel.</u> Don't have what <u>you want</u> or <u>do have what they don't want</u></p> <p><u>Worry/ annoyance / primordial</u></p>

	adenocarcinoma whilst making gastric acid)	<u>fear of dying</u>
	Stomach – Lesser curvature including duodenal bulb and Pyloric Canal	<p><u>People/situations obliged to be close to.</u></p> <p><u>Territorial annoyance.</u> If accompanied by rancour biliary ducts will be involved.</p> <p><u>Territorial annoyance/border disputes/content of territory</u> (e.g. unfaithful partner)</p> <p>Deep conflicts with someone you cannot avoid and who “<u>weighs on stomach</u>”</p> <p>Left handed likely to be identity in territory.</p>

	Pancreas Food passes from stomach to small intestine for secretions by pancreas, liver and gallbladder	<p>The most powerful enzymes reside here.</p> <p>Conflicts are similar to the liver.</p> <p><u>Intense feeling of revolt/bitterness</u> often related to family, struggle for <u>nourishment</u> conflict to do with <u>inheritance</u>.</p> <p><u>Reproached / conflict of loss.</u></p>
	Gall Bladder	<u>Territory/anger/violation/violation of limits/rival/anger/invaded/helpless/unable to contribute//cannot fight/grief</u>
	Liver Task of a tumour is to make the most of the limited amount of food as perceived lack or famine. Sometimes a single shock will give rise to several sites in the liver.	<p>Conflicts of <u>lack</u> – deep fear of lack of <u>essentials/necessities</u>. Can be through <u>identification</u>. <u>Impossible to digest</u> or something that <u>threatens everything belonging / indispensable to survival</u></p> <p><u>Famine.</u></p>
	Biliary & Pancreatic Networks	<p>Conflicts of <u>rancour, anger, injustice or rage</u>.</p> <p>Tenacious resentment often directed to someone else. Could be maintained by <u>envy</u> (e.g. professional jealousy or betrayal)</p>
	Extrahepatic biliary	<u>Simple anger</u>

	<p>Intrahepatic biliary</p> <p>Pancreatic ducts</p> <p>Endodermic pancreas</p> <p>Ectodermic pancreas</p> <p>Calculus or lithiasis</p> <p>Jaundice in newborn</p>	<p><u>Anger and lack</u></p> <p><u>Lack, injustice.</u> (could be related to money)</p> <p><u>Specific lack / something undigested</u></p> <p><u>Rage, money, family</u></p> <p><u>Not wanting anyone to be in a rage against you</u></p> <p><u>Solution of a conflict of rancour experienced by mother</u></p>
--	---	---

	<p>Duodenum (upper portion of small intestine beginning at pyloric sphincter and merging into jejunum)</p>	<p><u>Lack and injustice.</u> <u>Unable to withstand Annoyance with family, colleagues, work, friends or lack of money or food.</u> <u>Fear not having enough to eat / unable to digest / fear of dying of hunger / not being able to eat one's fill.</u></p>
	<p>Small intestine Jejunum & ileum</p>	<p><u>Need to digest / risk dying of hunger</u> <u>Not able to assimilate a morsel</u> <u>Undigested annoyance (e.g hurtful words). An injustice, nastiness, state of affairs, not feeling integrated into family</u></p>
	<p>Celiac disease Damages small intestine and interferes with absorption of</p>	<p><u>Cut off from something too quickly</u>(e.g. mother stopping smoking suddenly when carrying) may also have <u>intolerance to or conflict with something</u> resembling gluten such as</p>

	nutrients = intolerance to gluten	sperm.
	Mucosal lining of small intestine	Notion that <u>until I have absorbed the morsel into my blood it is not mine.</u> Problematic issues of <u>choice, indecision, integration</u>
	Appendix Twisted coiled tube suspended from caecum (acts as first stomach for a horse)	Human problems relate to <u>conflict saving something for later</u> (particularly with children) could be candy or pocket money issues Also relates to something <u>undigested cannot be eliminated/dead end situation/saving something or having something up your sleeve.</u>
	Caecum & Colon Caecum is pouch forming first part of large intestine containing the colon. Large intestine complete process of digestion and releases solid waste.	<u>Large annoyance / dirty deed / ugly business which can't be dumped Nastiness/vileness, betrayal, grossness/low act /revolting/heinous or filthy</u> <u>A route which has to be travelled / wanting to hold onto something.</u> <u>Ascending colon = parents.</u> <u>Transverse = siblings and cousins. Descending = children</u>
	Colitis	<u>Situations indigestible – repeatedly in fits and starts</u>
	Haemorrhagic recto-colitis	<u>Healing of a conflict of undigested gross annoyance.</u> If profuse bleeding see spleen – conflict related to bloodline.
	Sigmoid Colon & Upper Rectum	Something <u>unspeakable/despicable/crappy or loathsome.</u> An <u>annoyance</u> you cannot eliminate. Provoked by <u>gross or hateful action / impossible to pardon.</u> Often related to family concerning a <u>dirty deed</u> impossible to digest.
	Lower Rectum Lower third of mucosal layer	Strongly connected to <u>identity.</u> <u>Female identity conflict – sense of lack – not knowing one's place / one's place taken by another /</u>

		<p><u>not recognised by family.</u> Can involve <u>territory</u>, difficulty in <u>finding one's place within family / separation.</u> Fear of <u>being abandoned in a territory.</u> Left handed = conflict of <u>rancour in a territory.</u></p>
	General digestive disorders	Can affect one or more of the organs and tissues of the digestive system
	Belching	<p><u>Lack of air / lightness / freedom in friendly exchange.</u> <u>Inability to accept that a relationship is heavy or laden.</u></p>
	Constipation	<p><u>Conflict of identity in territory / separation or isolation</u> <u>Conflict of motor function of lower body</u> (e.g. on a trip or to a hospital /school – having to go but not wanting to go. Repair phase can include colic and pain. <u>Fear of not being able to move something along.</u> Can be a <u>fear of food moving along or something in life not moving along</u> <u>Conflict of wanting to hold onto love</u></p>
	Diarrhoea	<p>Conflict of <u>annoyance that one manages to withstand.</u> <u>Visceral fear / lack of kindness.</u> If repeated conflicts colitis can appear in repair phase. Diarrhoea can occur when one doesn't know how to say <u>no, how to refuse or stop something.</u> <u>Something entering one's personal space</u> Sometimes due to peristalsis – <u>desire to accelerate thing / time/ transportation.</u></p>
	Thyroid related	<p>Digestive difficulties related to thyroid function may have soft stools – they</p>

	<p>Irritable bowel</p> <p>Intestinal Gas</p> <p>Vomiting</p>	<p>have to have <u>finished everything before beginning something new.</u></p> <p><u>Conflict of not wanting to digest in an atmosphere of impotence.</u></p> <p>Conflicts in motor function <u>waste which cannot be digested / cannot be slipped through or emptied.</u></p> <p>Emotional conflict of wanting to <u>eliminate foul ups in order to get back to place of freedom.</u></p> <p>Can also relate to experiencing a series of problems.</p> <p><u>Conflict of intestinal motor function / impossibility of moving food through system.</u></p> <p><u>Conflict of fear</u></p> <p><u>Rejection of what has been proposed or imposed on one.</u></p>
--	---	--

Endocrinology		
Page 64	Adrenal cortex (produces the hormones) Healing phase cortisol which will give energy in healing phase)	Cortisol production relates to <u>fear of making a wrong turn in life. Fear of having gone in the wrong direction, wrong path, loss of self esteem, no longer strength to continue wrong path</u>
	Pancreas	Islets of Langerhans (endocrine cells- hormones regulating blood sugar
	Blood sugar imbalance	Right handed male – <u>resistance</u> – beta cells + insulin = hyperglycaemia Female <u>loathing</u> – alphas cells + glucagon = hypoglycaemia Opposite for left handed
	Hyperglycaemia	Increase of plasma glucose (excessive thirst, urine and hunger) Male conflict of the right hemisphere. <u>Fear and resistance to someone / something. Being pushed into something horrible, frightful ordeal, fear and loathing.</u> <u>Softness / authority / confronted / remarks made about me</u> (can be a bit paranoid) <u>injustice / being on the outside as opposed to inside.</u>
	Hypoglycaemia	Low plasma glucose –

		dangerous. Possibly received too much insulin <u>Anguish / loathing / fear / disgust / imposed upon</u>
	Parathyroid Glands	PTH (parathyroid hormone – a protein) maintaining calcium levels <u>Unable to catch / swallow / wanting to build one's self up / finding balance with parents / authority</u>

	Pituitary Gland	Anterior lobe or adenohypophyses – under influence of hypothalamus If prolactin is associated with <u>inaccessible partner / inability to nourish</u> Secretion of ACTH (hormone stimulating <i>adrenal cortex</i>) <u>feel unable to be dynamic enough / don't have what it takes / right direction</u>
	Hormone hGH Human growth hormone	<u>Feeling inadequate to reach desire / height</u> (this can often be related to perfectionists) <u>Can't make mistakes / haul one's self up / extend myself / not allowed to grow up</u> (for a child)
	Thyroid (these issues are also relevant for parathyroid)	<u>Not fast enough to catch....</u> (can lead to people eating more and more quickly)
	Exophthalmos (bulging eye)	Autoimmune eye condition often seen in conjunction with Graves' disease

		(hyperthyroidism) <u>Catch image / prey / danger / want to see something come about / eyes bigger than stomach</u>
	Hyperthyroidism Accelerated metabolism	<u>Events passing me by / fatigue / inability to manage or organise / too much urgency / have to be faster</u>
	Hypothyroidism (can take years to develop – slowed metabolism)	<u>Long standing conflict / anxiety / watch the clock / hurry</u>
	Thyroid Ducts (excretory ducts and ganglions on anterior side of neck)	<u>Powerlessness / impotence / fear / something to be done but nobody doing it / hands tied / lack of action / urgency insufficiency / fear of confrontation / fear body lets you down</u> (see also lymph nodes and neck)
	Hashimoto's disease (autoimmune thyroidism)	<u>Destruction / impotence / accelerated birth process</u>
	Hyperthyroidism	<u>Have to act quickly / unable to make it</u>
	Hypothyroidism	<u>Not going to act quickly enough</u>
	Low levels of thyroid stimulating hormones (TSH)	<u>Intention versus belief in ability to do something or act</u>
	Myxedema & hypothyroidism skin and tissue disorder (can be due to tumour on	<u>I have to act fast and not going to make it</u>

	parenchyma and dropping T4	
	Thyroid nodule	<u>Strangulation / events in everyday life</u> whilst in solution for events past

Haematology		
Page 78	Blood	<u>Total absolute loss of self esteem / no meaning to life / low self esteem e.g. part you play</u>
	Acute lymphocytic leukaemia	Mostly affects children <u>Complete loss of self esteem / being forbidden to grow up / danger in growing up</u>
	Anaemia	<u>Loss of what makes us feel alive / what sustains</u>
	Hypercalcemia	<u>Values fluid/soft/unstable/no longer fixed</u>
	Hypersideraemia (high iron levels)	<u>Loss of self esteem due to unrealised or unexpressed potential / conflict of lack</u>
	Monocytic leukaemia	Myeloid leukaemia. <u>Self defence / attacked</u> particularly by family and <u>say or do nothing</u>
	Petechiae, purpura (small red dots on skin)	<u>Separation conflict & reduction of self worth / unsuited to battle</u>
	Plasmacytosis	<u>Strongest / only master around / self worth connected to separation</u>
	Polycythemia (increased red blood cells)	<u>Fear of dying from blood ties / direct fear of lack of red blood cells</u>
	Lymph (sorts the I (me) from the not required)	<u>Deep anguish /loss of self esteem / fear of future / fear of the foreign (of not me) / self defence / protection</u>

	Nodes under arm	<u>Secondary conflict of anguish and low self esteem</u> <u>Right handed- nodes on left being a bad parent</u> <u>Right arm pit - bad partner</u>
	Nodes head & neck (relates to lymphatic circulation of upper body - head, thoracic cavity, mediastinum & posterior neck - origin in branchial arches)	<u>Male frontal fear attack when threatened. Fear of illness / fear of diagnosis</u> <u>Feeling thrown /unable to count on your body</u> <u>/abandonment by body</u> <u>/ powerlessness in an emergency / no right to defend myself</u>

	Spleen (relates to conflicts linked to the blood)	<u>Intense fear of losing blood or transfusion</u> <u>Loss of self esteem / wounded</u> <u>/not being ready for battle</u> <u>/humiliation / inadequacy</u> <u>/ unable to fight /loss of vitality /being short of</u> <u>/desire to please /being misplaced</u>
	Idiopathic thrombocytopenia purpura (ITP) (low platelet account)	<u>No line of descent</u>

Neurology	Brain 10% neurons the rest glial cells which support, feed, oxygenate and protect the neurons	
Page 86	Microglia cells Reticuloendothelial tissue (as do nodes and spleen). Mobile cells	Primary form of active immune defence in CNS, heal lesions by creating scar tissue. Represent 20% of glial cells
	Macroglia cells Fixed location – 2 kinds Astrocytes	Draw metabolites (sugar, amino acids etc) from blood and distribute to neurons Oligodendrocytes surround, protect and isolate neurons (myelin sheath)
	Brain Tumours	Have to <u>extend oneself / past intellectual limit / territory / protection / dirtying / defiling</u> <u>Look for active conflict in kidneys (cause of excess oedema in brain)</u> <u>Coasting / absent-minded / secretive / denial / withdrawn</u> <u>Efficient / effective / constraint</u>
Page 90 for areas of brain/body	Macroglia tumours	Macroglia cells form tumours corresponding to conflict <u>dramatic felt sense – have to find a solution</u> (result – brings more glucose and oxygen to work harder – <u>surpass / exceed</u>
	Astrocytomas (primary intracranial tumours derived from astrocytes)	Make <u>computer/brain work better</u>
	Oligodendrogliomas	<u>Concern for others /</u>

		<u>protect others</u> Often appear when solution found. Sign of regeneration – willingness to make brain more efficient in case of new conflict
	Oedema	Repair phase, another conflict halts (same emotional tone) in brain and organ – solution and repeats Fluid becomes jelly like eventually producing a tumour but can take years

	Epilepsy – grand mal or tonic-clonic seizure There are two conflicts – if recurrent seizure happens right after healing phase – conflict could be a dream	Sympathetic nervous system <u>stress / fearful / not wanting / surprise / out of control</u>
	Epilepsy – petit mal or absence seizure Again two conflicts	<u>Threat / losing territory / separation / deny / opportunity to grow</u>
	Headache Migraines	<u>Denial / escape / shy away from / nothing wrong / stress / limitation / guilt / impotence / more efficient //solution / don't know when to stop / proving the truth</u> Headache will occur in area of brain corresponding to nature of conflict
		Epic crisis (page 97) can be dangerous with signs: cold hands, extreme fatigue, sweating, insomnia, breathing difficulties, nausea, convulsions, vision problems

		and headaches, cramps, muscular contractions, risk of hypoglycaemia and loss of consciousness. As oedema expelled excess urination
	Broca's Area (language, processing, speech production and comprehension)	<u>Cannot express myself / fear of speaking / not daring to speak / cannot explain myself / mute / silence / secret</u> <u>Stuttering - expressing myself / speaking clearly</u>
	Meninges (Brain & spinal cord) Dura - outer Arachnoid - middle Pia - inner	<u>Protection</u> <u>Fear for head/brain</u> <u>Self worth</u>
	Myelin Sheath (electrical insulation)	<u>Pain / unwanted contact / disagreeable / undesirable</u> (opposite to conflict of separation)
	Neurofibromas	Tumour on myelin sheath - as above

	Multiple Sclerosis (MS) Suggested Bach Flower Essence scleranthus be used with treatment	Autoimmune disease affecting CNS. Can appear 6-12 months after shock <u>Infantilization / too controlling / no authority / can't grow up / someone else's plan / separation / loss of self esteem / impotence / fear of falling into the void / fear / apprehension</u> Can be associated with the "quick-quick" of thyroid, issues with sight. Look for 2 conflicts
	Myopathy or muscle disease	
	Pain	<u>Separation / sensitivity</u>

	Paralysis	Relates to brain, nerve and motor end plate <u>Annoyance / opposition / impossible demand / bound /lack of initiative / fear / not being able to flee or follow / coming or going? / can't hold onto something / push away</u>
	Conflicts:	Not being able to <u>avoid something</u> affect muscles of back and shoulders Connected to walking are associated with the right leg for RH or left for LH Protection of children with left leg for RH <u>Fear of being a prisoner</u> <u>Wanting to swallow and being unable to</u> is associated with paralysis of oesophagus Blocked emotional expression is related to paralysis of spasms in the face <u>Conflict of wanting to hunt and keep</u> and of <u>self satisfaction</u> are related to the hand.
	Hemiplegia	One vertical half of body paralysed associated with being brought up by two mothers or <u>strong maternal and impotence</u> – not having strength in muscles to <u>struggle or prevent someone from acting or moving.</u>

	Plan or Thrust All illnesses are expressed as one or the other	Remorse = thrust Function - fear
Page 105	Parkinson's disease	Fear of future / can't finish something / fear of judgement
	Spasmophilia/Tetany	Self blame / not protecting self / unable to express myself
	Tics	Thwarted movement / strong emotion (often sexual) Dystonia - forbidden love Can relate to people or things
	Torticollis Neck twisted or bent	Wanting to turn head / prevented / obligation / thwarted / morality / timidity / shame / reduction of intellectual self worth

Ophthalmology		
Page 107	Lacrimal glands	<u>Wanting to catch something with the eye / fear / not being able to see / can't make it happen / obscure / forbidden /not letting someone see emotion</u>
	Eyeball	
	Left cortex	Both left retina <u>distant event</u>
	Right cortex	Both right retina – <u>nearby event</u>
	Right eye	Memorizes, compares and looks at <u>friends</u> – connected to <u>children, people nearby</u> and <u>one's identity</u> Recognition of <u>emotionality.</u>
	Left eye	Directs movement, looks for <u>enemies</u> , looks to the <u>distance</u> . The eye of <u>defence</u> (reversed for left wired)
		<u>Fear / apprehension</u>
	Detached retina	<u>Long standing apprehension</u>
	Eye generally	<u>Fear / danger / behind me / watchful / can't get rid of (all from behind)</u>
	Optic Nerve	<u>Cut off / halt visual information / don't want to be seen / someone is looking</u>
	Cornea	<u>See / wish to see</u>
	Keratitis (ulceration, inflammation or even herpes if the	<u>Losing eye contact / obliged to see</u>

	cornea	
	Keratoconus (ulceration of curvature of cornea into conical shape)	<u>Don't want to be seen into /inside not be seen by others</u>
	Astigmatism (irregularities in curvature of cornea)	<u>Refuse to see a reality / deformed reality</u>
	Vitreous Body	<u>Being pursued</u>
	Glaucoma	<u>To reach a goal quickly / anxiety about immediate future / closely / a little late / failure / miss out on / get near</u>

	Green Cataract	Partial sight <u>Fear of what is behind / aggressor</u>
	Eyelids (& conjunctiva) Drooping eyelid Sty chalazion	<u>Conflict of wanting to and not to see</u> <u>Dirtying / separation</u>
	Conjunctivitis	<u>Separation / withstand what seeing</u>
	Pterygium (benign growth)	<u>Unprotected</u>
	Specific vision disorders	
	Amblyopia - lazy eye	<u>Re-unite / separated</u>
	Blindness	<u>Fear / safer to see nothing / hide / fear of daylight</u>
	Cataracts/Lens disorders	<u>Tried not to see / refuse to believe / aggressor / fear of not wanting to see things through</u>
	Detached Retina	<u>Intense conflict - not wanting to see horrific</u>

		<u>sight</u>
	Hyperopia (opposite to myopia)	<u>Fear of future / invasion / danger</u>
	Macular retinopathy	<u>No longer see someone/thing</u>
	Myopia	<u>Fear of proximity / danger near / aggression</u>
	Nystagmus (involuntary eye movement)	<u>Danger from several directions. Continual stress</u> <u>Don't know where to look</u>
	Presbyopia (age related – diminished ability to focus near)	<u>Distant danger</u> <u>Fear / apprehension / future / everything stuck . Fear of death / retirement/ old age / no plan</u>
	Red/Green Colour Blindness	<u>Not seeing a colour linked to stress</u>
	Retinitis Pigmentosa	<u>Horror / defilement / dirtying</u>
	Strabismus	Crossed eyes – can be muscle or brain disorder – diplopia is double vision but sees with one eye <u>Something I shouldn't / fear being seen</u>
	Diplopia	Long phase of stress – multiple attacks on <u>self esteem / I am diminished</u>
	Convergent strabismus	Eyes turn in slightly reducing lateral vision and increasing local vision <u>not wanting to see others / to watch a child closely</u>
	Divergent strabismus	Eye drifts out – opposite to above <u>always looking to side</u>

Musculoskeletal Checklist

Skeletal conflicts are to do with self worth:

- loss of self worth
- loss of self worth because one was not able to do something in a situation where one was asked too much
- movement-self-worth conflict;
- local self worth conflict:-
- in relation to the side of the body where there are irregularities (with local self worth conflicts the handedness is not relevant)

Overview of musculoskeletal tissues

(page 121 Biogenealogy)

Bone is made up of collagen fibres, mineral salts and four types of cells which together do the work of building, nourishing and repairing bone tissue. They store things like calcium and phosphorous and contain red marrow (produces blood cells) and yellow marrow which stores triglycerides.

A major conflict that seriously reduces self worth may cause someone to feel that he or she has been attacked right down to the marrow or reduced to zero. Deep down may feel worth nothing and this self worth can result in osteolysis – loss of the bony framework. This decalcification occurs when the system lacks support for the fixation of calcium. The bone density will be reduced in proportion to the intensity of the conflict as experienced. A total reduction of self worth will engender a demineralisation of the whole skeleton.

A child who is not yet aware of his potential to be part of things can experience reductions in self worth when he is rejected by others or even if he simply feels himself to be rejected.

- **Bone** “I am nothing,” “Looking at myself, I am structured on nothingness, on a lack, on the void.” Bone is what is deepest and most resistant in our body – it is also what is hardest, most rigid, most solid in us – our values.
- **Bone Marrow** – this is where blood is made. Life (oxygen) passes through the blood. This is where meaning is given or received by life, as well as blood ties. The most central aspect of our structure which often reflects our core relationships -- those with family.
- **Osteoclasts** – destroy old bone cells and old values. Therefore, the reduction in self worth is a non-acceptance of new values.
- **Periosteum** – conflict of brutal separation with a structural tonality, conflict of unwanted contact.

- **Cartilage** – reduction of self worth related to gesture
- **Muscle** – reduction of self worth linked to effort, capacity, performance, felt sense of impotence.
- **Tendon** – reduction of self worth regarding a thrust forward in the present, “My action is considered worthless.”
- **Ligament** – “No matter what I do, I’m not going to make it.” “I have to be stronger in the _”
- **Fatty tissue** – aesthetic reduction of self worth.

	Cap of the skull	Intellectual self-worth conflict: I should have known that. Top of the skull conflicts cause reduction of self worth related to <u>one’s intellect</u> . Doubts which are instigated by other people will result in problems of the <i>external</i> part of the skull. Doubts that come from inside, from one’s self, will affect the <i>internal</i> portion of the top of the skull
	Small bones of the ear	Symptoms related to these bones represent a reduction of self worth that comes through unpleasant things one has heard .
	Bone around the eye	Symptoms arise from reduction of self worth from what one sees or from what one should have seen , e.g. “I should have noticed sooner.”
	Eye socket	Self worth conflict in relation to the eyes or the surroundings of the eyes .Hurting remarks about the beauty of the eyes
	Mandible	Lower jaw indicates self worth problems related to speech and self expression . Can arise in a variety of ways, including:- one does not feel listened

		<p><u>to/one cannot express one's aggressive feelings, one feels that what one has to say is unbearable, one missed an opportunity to speak up/one's speech receives no reply/feels isolated</u> and tells himself "speaking doesn't have meaning any more." Conflicts of having <u>failed to find the right words to protect one's self</u> will tend to manifest on the left side, whereas failure to express one's feelings will create problems on the right side.</p>
	Jaw	<p>Heavy biting conflict (more severe as when the teeth would be affected) <u>Self worth conflict, not being able to bite</u></p>
	Teeth Dentin	<p>Bite conflict Self worth conflict about not being <u>able</u> to bite or not <u>daring</u> to bite Self worth conflict about not being <u>able to dare to ward off or defend one's self</u> Incapable of acting because <u>too weak.</u></p>
	Teeth enamel	<p>Restraint from acting out of a <u>sense of propriety.</u> Frequently enamel decay will be accompanied by <u>devaluing</u> of the dentin.</p>
	Dental pulp	<p>Feeling <u>forbidden to nourish</u> one's aggressive feelings.</p>
	Ribs	<p>Local self worth due to changes in breast or area around heart/lungs due to operation, sickness or insult <u>Inability to do something</u></p>

		about a conflict
	Shoulder	Partner or child self worth General human self worth
	Right	Partner, self worth Self worth – I am a bad.... Self worth – failed as a partner My partner is worth-less
	Left	Parent, mother child self worth I am a bad mother/father/educator I did something wrong as an educator I am worthless as an educator which is why.... My child/wife said I am a bad father My child is worthless, is not listening, is a bad...

	Elbow	Conflicts linked to the use of the arm and feelings of <u>devaluation associated with work.</u>
	Wrist & Hand	<u>Ability to accomplish</u> things. Conflicts related to <u>dexterity, our sense of self</u> is devalued, feeling of being <u>incapable</u> of performing a task adequately.
	Sternum	Self worth about décolletage It represents our inner weapon which we brandish when facing an adversary by swelling out of the chest and which we hide when we want to be less noticeable. Conflicts such as we don't like the <u>way we look to others,</u> feel a <u>lack of charisma</u> and <u>physical attractiveness.</u>
	Vertebrae	<u>Personality self worth</u> <u>Central self worth</u>

		Conflict in relation to something important, e.g. <u>life's worth destroyed</u> due to sickness/ <u>I cannot do anything/ I am worthless</u>
	Cervical / Neck	<u>Capitulation / Being obliged to bend the neck and lower head in shame or deference. / Moral self worth / Demoralisation Injustice / Not being free Unfaithful /Dissatisfied Insincere /Dishonest /Deceit</u>
	C1, 2 & 3	Lofty dreams of <u>prestige</u> or great moral visions
	C7	Conflicts of <u>submission</u> and experiences of <u>injustice</u> . Conflict in relation of the serf and the master.
	Thoracic	Central self worth Being <u>unsuitable</u> <u>Restriction</u> or sickness of thoracic area

	Lumbar	Deep going personality-self worth conflict <u>Self worth concerned with entire person</u> Sincere or broken man
	Hernia	Central self worth conflict Right handed – with partner Left handed – with kind
	Ribs	Self worth issues The “Venetian blinds” of the heart. Can reflect low self worth. Symbolically represent <u>ancestors</u> in the <u>upper ribs</u> , <u>descendants</u> the <u>lower ribs</u> and <u>siblings</u> to <u>those in the middle</u> . <u>Insufficiently loved</u> or protective of self and family.

	Elbows	Self worth because of inability of arm (tennis elbow) Overstraining of arm Inability to hold person in arm Not being able to keep someone away
	Inner arm	Self worth - wanting to bring someone in
	Outer arm	Wanting to push someone away
	Hand	Self worth conflict in relation to ability of the hands. Self worth conflict (not being able to do something, i.e. a furniture maker cannot finish his assignment in the timeframe he agreed to, due to a mistake he made in the cutting of the wood.
	Fingers	Self worth conflict – in relation to skills that have to do with the fingers. Self worth conflict in relation to the decrease of ability to work with the fingers or the skills of the fingers .
	Thumb	Symbolic expression of incompetency or having a functional disadvantage in a task related to a situation. In some way they are feeling devalued in the process
	Index	Symbolic of something that was pointed out to them in a stressful way, such as criticism or blame , or that there is a need to point something out that they do not feel comfortable doing in the area of work or getting a task done. In some way they are feeling devalued in the

		process.
	Middle	Symbolic - being touch ed or touching (physically or emotionally), someone in an inappropriate way (possibly sexual). Or of " getting shafted " re work or getting a task done. In some way they are feeling devalued in the process.
	Ring	Symbolic of issues dealing with tasks in the marriage relationship . In some way they are feeling devalued , put down by spouse.
	Little	Symbolic of issues dealing with the inability to keep secrets or having divulged a secret in the area of work and in some way they are feeling devalued in the process. Among teenagers there is a gesture when two people intertwine their little fingers and swear each other to privacy – called "pinky swearing".
	Knee	Movement and motions, self worth conflict. Sportive or not being sportive self worth conflict (e.g. due to disability in my foot I can no longer play...) Self worth conflict – not being able to walk away Conflict being hit as a child and by the inability to walk away , not a self worth conflict. Schlatter Osgood disease Necrosis of the tibia apophyses
	Lower legs	Chronic swollen lower legs – KCTs, find out second phase – original conflict will be a

		<u>medulla</u> issue.
	Sacrum	<u>Central self worth conflict</u> See also sacro-iliac joint
	Pelvis	Self worth conflict in relation to pregnancy , not being able to get pregnant. <u>Self worth conflict</u> not being able to hold the pregnancy Self worth conflict not being able to give birth because pelvis is too small .
	Pubis	<u>Sexual self worth conflict</u> Conflict about not being able to have orgasm Conflict not being able to sexually satisfy partner
	Left side	With RH in relation to mother or child (feeling unable to reproduce) With LH in relation to partner, e.g. due to frigidity
	Right side	With RH in relation to partner With LH in relation to mother or child
	Neck of thigh	<u>Self worth conflict</u> not being able to endure something, i.e. endurance not sufficient to succeed in task whilst friends continue and succeed
	Head of hip	Self worth conflict unable to withstand something
	Hip socket	Self worth conflict not being able to put something through with a chief or rival .
	Lower hip (ischium)	Self worth conflict not being able to own something
	Left side	RH in relation to mother or child, e.g. cannot give them something anymore because nothing left . LH in relation to cannot support child with study as no

		money left
	Right side	RH self worth conflict in relation to partner . LH self worth conflict in relation to mother or child
	Sacroiliac joint	Central deep hitting self worth conflict. Self worth conflict that has to do with the hip and sexuality Self worth conflict which has to do with the anus.
	Sacrum	Central self worth conflict – see sacroiliac joint
	Tailbone (coccyx)	Local self worth conflict, e.g. anal abscess or haemorrhoids
	Lower leg	Physical performance
	Heel	Self worth conflict , unable to crush a situation with the feet Self worth conflict unable to stand over things to solve them.
	Ankle	Moving forward with life, being flexible, inability to stand up , self worth conflict, hold one's self up, balance.
	Achilles tendon	Self worth conflict of not being fast enough , e.g. with a game
	Tendonitis	Conflict of movement , with the specific site dependent on nuances of the conflict.
	Achilles	Conflict around what we are moving or tending toward.
	Dorsal side of wrist	Suggests withdrawal from words or from a place. We have denied the personal which is devalued in relation to its strength
	Carpal tunnel	Arises from an indecision in acting or an inability to let

		go (I want to hold onto the reins)
	Walking Pigeon toed	Associated thought pattern is “I’m going there but I don’t want to go. ”. There is also a notion of fear .
	Ganglion	Develops after healing of the bones and filling of the bone necrosis. Self worth conflict related to the appropriate side of the body.
	Osteoporosis	Core – bone wastage in deep marrow, in the 2 nd phase there can be leukaemia during the rebuilding period.
	Gout	Can arise when a person blocks the collector ducts of the bladder, feeling “ I don’t want to lose a drop; I want to keep everything, even the garbage. ” This may result from a feeling that one’s very existence is disintegrating .

	Hyper-calcification	Tension or rigidity along the whole of the spinal column reflects a conflict of being too attached to one’s values and always needing to be right .
	Paget’s disease of the bone	Paget’s disease of the bone involves a dis-regulation of the processes by which new bone is built in the body. This illness can result from a chronic conflict that reduces self worth .
	Plantar or callus pain	The associated thought pattern is “I kick people to get them moving ; I’m sick of it , I’m a coward .” Upon recognising this pattern, immediately the pain lets go.

	<p>Scoliosis</p>	<p>Lateral bending of the spine often arises when one <u>compares one's self unfavourably</u> to others saying "<u>I am not as good as X, or I'm not as strong as Y</u>".</p> <p>When curvature creates a hollow on the right side of the lumbar spine in a young woman on the verge of adulthood she may have a <u>fear of being judged</u> by men.</p> <p>A <u>slow self worth</u> conflict in relation to someone or something that is "beside" one's self (continually in one's thoughts), can lead to osteolysis, which quietly and imperceptibly rounds the shape of the vertebrae without breaking the nerve within it.</p> <p>In men scoliosis can reflect <u>self doubt</u> related to the male lineage.</p>
	<p>Neuronal connection</p>	<p>Brain marrow</p>

Otolaryngology – ENT		
Page 145	Inner ear Hypoacusis – hearing loss	Conflicts of <u>quantity</u> and <u>quality</u> <u>Quantity separation / not receiving enough kind words / explanation / silence / aggression / too much noise/ don't want to hear / can't believe my ears</u> <u>Quality – bombarded / noise / information / don't want to hear / disagreeable things / lost territory / rival taking territory</u>
	Meniere's disease	Three conflicts parallel to hearing loss, tinnitus and vertigo
	Motion sickness	Two sources of information – <u>discrepancy / reconcile inner world with external / in control & something you can't control / what you see and what you want being different</u>
	Otosclerosis	<u>Fear of danger and death triggered by a loud noise</u>
	Vertigo	<u>Conflict of inner ear / not being able to stand hearing something / lack of bearings / fear of moving to the future</u>
	Middle ear	<u>Not being able catch morsel of information / can also relate to food or force feeding / not wanting to do something a certain way / quantity / relationship to mother</u> (can also be associated with digestion or hearing)
	Mastoiditis	This can occur during long awaited pregnancy – part of

		healing process
	Otitis	Can relate to in the cradle – trying to catch a toy and repeatedly told NO.
	Eustachian tube mucosa	Right ear: <u>afraid not able to catch morsel – can be love</u> Left ear – <u>having to listen too much information – cannot swallow vital information / primordial territory</u>

	Eustachian tube muscles	<u>Fear for middle ear</u> <u>Afraid of hurting someone / afraid to approach / protecting me from mother who wants to protect.</u>
	Nasal mucosa and sense of smell Nostrils: They do not function together (thought to be a 3 hour process each)	<u>An intruder or rival</u> <u>Constantly trying to catch a whiff of something or sniff something out / what is afoot?</u> <u>Something hidden / not knowing a secret</u> <u>Not wanting to smell something</u> <u>Fear of future conflict</u> <u>Fear of separation from someone's smell</u> Right nostril – <u>emotionality</u> Left nostril – <u>danger</u>
	Nasal bone	<u>Low self esteem / Marking territory / Aggression</u>
Disorders of the nose	Common cold	<u>Something displeasing</u> <u>Giving the cold shoulder</u> <u>Anxiety / intrusion.</u> <u>Wanting to be separated from something</u> <u>Restore contact with self</u>
	Oedema and nasal encrustation	<u>Wanting to be separated from outside. Restore peace within</u>
	Nose bleed	<u>Fear of death</u>

	Rhinitis	<u>Separation / Great danger</u> <u>Negative anticipation</u> <u>Territorial conflict</u>
	Sinus	<u>Something stinks. Fear of threat (hidden, vague or latent)</u> <u>Something doesn't smell right</u> <u>Sniffing the wind/subjugated</u> <u>Frontal fear or apprehension someone beside you</u>
	Nasopharynx (similar to tonsil conflicts)	<u>Wanting to have something you can't / safety / existence / anguish / self esteem / not close to loved one</u> Conflicts of Pharynx, Parotids, Sublinguals, Middle Ear and Adenoids are related to <u>morsel to be caught, swallowed, smelled, tasted, savoured or spit out</u>

	Palate	Hard or bony plate <u>loss of self esteem / can't catch morsel / needed / desired</u> Soft palate <u>separation</u>
	Snoring	Snoring on in breath <u>call for help</u> Snoring on out breath <u>ward off danger</u>
	Cleft palate Can also relate to a tumour on the palate	<u>Not able to take something in because too big</u>
	Tonsils	<u>Cannot swallow something</u> <u>Wanting to ingest</u> <u>Wanting to experience</u> Right side – catching Left side – spitting out <u>Fear not having all of something</u>

		Worry it might escape Anguish / loss of self esteem / to squeeze / narrow
	Larynx	Message not getting through (can end with nervous cough) Great fear / scared stiff / takes my breath away

Pulmonary		
Page 160	Pleurae (tissue protecting lungs)	<u>Fear of attack</u> Can be fear of something like a tumour or something going on "inside"
	Pneumothorax	Collapse of lung <u>Attacked / chased</u>
	Lungs	<u>Primordial fear of death</u> <u>Losing myself / Loss of territory</u> Several spots (tumours to increase lung capacity) relate to self Fear for someone else usually one spot. <u>Fear of suffering</u> when dying = several spots high on lungs <u>Small fears</u> create a cough
	Alveoli	<u>Chronically stifled</u> <u>Unable to breath anymore</u>
	Emphysema	Walls of alveoli destroyed Symptom phase of stress
	Bronchi	<u>Threat to territory / peril / doubtless / imminent</u> Male = job related? Female = family related? Left bronchi = physical fear Right bronchi = emotional territory <u>Fear of not being able to flee</u> = bronchial muscles <u>Fear of not being separated</u> = bronchial mucosa If also a desire to hold on coronary also involved
	Dry cough	<u>Rejection / refusal to withstand / limitations / personal space</u>
Respiratory illness		
	Asthma	<u>Wishing for situations which don't exist</u>

		<u>Refuse situations which do exist</u> <u>Conflicted – preferring my company to that of others.</u> Fear air is not going to make it to the lungs
	Expiratory bradypnea	<u>Commitment to life</u> <u>Must breathe noticeably to stay alive</u>
	Laryngeal dyspnea	<u>Vocalisation – I do want to and I don't want to</u>

Reproductive System - Andrology		
Page 166 Male	Prostate	Two types: Unclean sexual experiences Family trauma – particularly children and grandchildren
	Scrotum	Fear of hurting inside
	Testes	Loss of loved ones
	Dermoid cyst	Manage on my own We do it alone
	Interstitial areas	Loss / semi-sexual conflict / put down / admonished / rebuked / torn apart by opposite sex Wasting my time Losing my identity, plans or memory
	Cryptorchidism	Undescended testes Forbidding myself to grow up – to be a man Forbidden to do better than parents
	Seminal vessels	Loss of territory Sexual frustration See also coronary arteries Stress phase – ulcers, healing swelling
Gynaecology	Breasts No use for their owner Four types of conflict none of sexual nature	
	Dermis	Conflict of dirtying Disfigured Integrity attacked
	Galactophore ducts (Milk ducts)	Conflict of separation Lack of communication with close ones Keep close
	Glandular tissue	Human ordeal Taking side against
	Nerve endings	Desire for separation Unpleasant / unwanted /

		<u>painful</u> <u>Wanting to be separated and not touched</u>
	Fallopian tubes	<u>Semi-sexual – not clean</u> <u>Too disgusting</u> <u>Nasty, cruel, dirty</u> <u>Violent dispute with opposite sex, rape, sexual relations, violence, sexual aggression, incest</u>
	Ectopic pregnancy	<u>Pregnancy desired but feared</u>
	Ovaries	
	Germinative cells Can result in:- Teratoma – hormone producing cells / Seminoma / or Dermoid cysts	<u>Conflict of loss / survival / reproduce</u> Similar to testes conflicts. <u>Loss / semi-sexual ugly conflict / guilt / denigrated / admonished / rebuked / torn apart / quarrel</u>
	Uterus – 3 layers:- Outer, myometrium or middle and endometrium or inner layer Endometrial layer	Has two layers and is highly vascularised – one layer sloughs off during menstruation <u>Sexual conflict / loss of sexual partner – child – family.</u> If purely sexual then cervix is also involved Grandparents concerned about <u>grandchildren / fear / unclean / sexual conduct of others</u>
	Endometriosis	Wants to get pregnant but situation not right
	Pain during	<u>Strong desire to have son</u>

	period	but <u>male hormones badly damaged</u> or when one has <u>been desired very strongly as a son.</u>
	Smooth Muscles – myometrium	<u>Self esteem from not getting pregnant or desire for an ideal pregnancy</u>
	Uterine Cervix	<u>Sexual frustration / lack of affection / abandoned / separated / unpleasant dependence / indifference or too considerate</u>
	Cervix & Coronary Veins	<u>Sexual frustration / territory / dereliction</u> (this latter involves the veins as well)
	Cervix & Coronary Veins & Vagina	<u>Territory & sexual conflict / fear of not being possessed / not belonging</u>
	Cervix & Vagina & Bladder	<u>Sexual frustration where prevention of future territory or nest being organised</u>
	Coronary Veins Alone	<u>Caught between two males</u>
	Juncture of Cervix and Body of Uterus	Uterus = <u>growth of family</u> Cervix = <u>sexual frustration</u> Cervix & Uterus = <u>desperate search for partner to create family</u>
	Vagina	<u>Sexual conflict / not possessed / not belonging / unable accomplish sexual union</u>
	Vagina Active conflict of left hemisphere blocks female hormones Labia	<u>Unable to accomplish sexual union / frustration at no partner / sexual act</u> <u>Frigidity / prevent sexual relations / frustration</u> <u>Forced sexual relations. Itching and fungal infections</u>

	Bartholin's Gland	<p>can occur in healing phase</p> <p><u>Sexual desire reprehensible / refuse penetration</u> (e.g. to punish the male)</p>
	<p>Foetal Extensions Sometimes conflicts will affect a pregnancy</p> <p>Twins</p> <p>Mole</p> <p>Chorioepithelima</p>	<p>Can follow conflict of <u>loss / fear</u> (make a spare child) Can also be linked to hyperthyroidism in family (<u>quickly and to save time</u>)</p> <p>Molar pregnancy pathological process when sperm has fertilised empty egg. Conflict of <u>loss / desire for a child</u></p> <p>Cancer of placenta can develop for three reasons:-</p> <ol style="list-style-type: none"> 1. Child is born following 1 or 2 stillborn – this child's placenta is more important 2. Mother feels unsure able to carry to term, more feed needed – more placenta for increased nutrition 3. Repetitive thought by mother: <i>I am welcoming but the house is empty or no wish for a child by my husband.</i>

		Left side <u>marking territory / defending territory</u>
	Enuresis (bed wetting)	<u>Brutal separation / fear / insecure</u> (sphincter muscle revert to parasympathetic nervous system – involuntary)

CREDITS: Reference Paper

Trish Lewis

Having worked in England as a medical secretary in both a very busy NHS practice we used to fondly refer to as “the sausage factory” and then private practice in London I became increasingly alarmed at the reliance on medication and the need for “someone” to fix a health problem instead of people taking some control of their own health.

So when I got the opportunity to re-train as a kinesiologist, and a variety of energetic modalities which use the client’s own energy and “body knowledge” without the use of medications I knew I was on the right track.

I also studied Reiki and EFT, Matrix Reimprinting. I had always felt that health issues were “there for a reason”, for example some years ago I used a quite invasive eczema of the scalp to work back and see what trauma had been going on in my life when the eczema really flared (not knowing then of course that this was the second phase!) I found it quite useful to gauge my response to certain quite traumatic situations and it gave me the opportunity to sort them out before they became more of a health issue.

Other Natural Therapies include: kinesiology, Facial Blyss, Body Systems, Reiki, EFT, Reflexology, AcuPressure Points, Theta DNA, Holistic Pulsing, Relaxation Massage


To find out more about Trish or to connect with her, please visit her website:

<http://www.healthngoalscoach.com>

Trish provides this reference material for educational purposes only.

CREDITS: Christian Flèche

Christian Flèche, the leading researcher and practitioner in the field of biogenealogy, explains that the “activation of illness” is the body’s reaction to unresolved events that are frozen in time. These unresolved traumas affect the body on the cellular level and manifest in minor as well as more serious chronic conditions.



In *The Biogenealogy Sourcebook*, Flèche systematically chronicles all the major organs of the body and specifies the types of emotional conflicts that lead to illness in those areas. For example, he explains that conflicts of separation are evidenced in diseases of the skin; a reduction of self-worth or deep anguish will manifest in the lymph nodes.

He also shows that unresolved emotional issues can also be passed down to future generations if left untreated.

Intended for therapists, researchers, and any person who wants to take his or her health in hand, this book is an important guide to understanding and decoding the causes and not just the effects of illness.

Source: Amazon.com